

**MATHILDA AC FLAT**

DAYLIGHT 3800-4100 °K  
CRI ≥ 90  
Light flow 1300 lm  
Lighthness - distance 1 m Ø 1.05 m/1172 lux  
Lighthness - distance 2 m Ø 2.11 m/92.9 lux  
Lighthness - distance 3 m Ø 3.16 m/130.2 lux

DAYLIGHT 3800-4100 °K  
CRI ≥ 90  
Light flow 1260 lm  
Lighthness - distance 1 m Ø 1.79 m/687.6 lux  
Lighthness - distance 2 m Ø 3.57 m/169.6 lux  
Lighthness - distance 3 m Ø 5.36 m/75.4 lux

WARM WHITE 2900-3100 °K  
CRI ≥ 90  
Light flow 1190 lm  
Lighthness - distance 1 m Ø 1.1 m/1023.9 lux  
Lighthness - distance 2 m Ø 2.2 m/256 lux  
Lighthness - distance 3 m Ø 3.3 m/113.8 lux

WARM WHITE 2900-3100 °K  
CRI ≥ 90  
Light flow 1150 lm  
Lighthness - distance 1 m Ø 1.79 m/622.5 lux  
Lighthness - distance 2 m Ø 3.57 m/155.6 lux  
Lighthness - distance 3 m Ø 5.36 m/69.2 lux

**MATHILDA AC PL**

DAYLIGHT 3800-4100 °K  
CRI ≥ 90  
Light flow 1300 lm  
Lighthness - distance 1 m/Ø 1.05 m/1172 lux  
Lighthness - distance 2 m/Ø 2.11 m/292.9 lux  
Lighthness - distance 3 m Ø 3.16 m/130.2 lux

DAYLIGHT 3800-4100 °K  
CRI ≥ 90  
Light flow 1260 lm  
Lighthness - distance 1 m/Ø 1.79 m/687.6 lux  
Lighthness - distance 2 m/Ø 3.57 m/169.6 lux  
Lighthness - distance 3 m/Ø 5.36 m/75.4 lux

WARM WHITE 2900-3100 °K  
CRI ≥ 90  
Light flow 1190 lm  
Lighthness - distance 1 m/Ø 1.1 m/1023.9 lux  
Lighthness - distance 2 m/Ø 2.2 m/256 lux  
Lighthness - distance 3 m/Ø 3.3 m/113.8 lux

WARM WHITE 2900-3100 °K  
CRI ≥ 90  
Light flow 1150 lm  
Lighthness - distance 1 m/Ø 1.79 m/622.5 lux  
Lighthness - distance 2 m/Ø 3.57 m/155.6 lux  
Lighthness - distance 3 m/Ø 5.36 m/69.2 lux

