



LEVA & LEVA QUADRA

DOWNLIGHT



LEVA & LEVA QUADRA

Collezione di apparecchi da incasso, fissi ed orientabili, con sorgenti LED Chip On Board integrate. Possibilità di montaggio trimless o con battuta. Corpo apparecchio in estruso di alluminio verniciato. Gruppi ottici antiabbagliamento completi di led chip on board (CRI>90) e lenti. Ottiche spot, flood, wideflood ed ellittiche UGR<16. Da completare con alimentatori elettronici remoti. Grado di protezione IP20 / IP43.

Recessed luminaires, fixed and adjustable, trimless or trimmed with integrated Chip On Board LED sources. Extruded aluminum painted body. Anti-glare optical groups complete with LED chip on board (CRI> 90) and lenses. Spot, flood, wideflood and elliptical optics UGR <16. To be completed with remote electronic drivers. IP20 / IP43.

 **UK CONFORMITY ASSESSMENT E EUROPEAN CERTIFICATION / UK CONFORMITY ASSESSMENT AND EUROPEAN CERTIFICATION**









 **PRODOTTI COSTRUITI CON MATERIALE RICICLABILE / PRODUCTS MADE OF RECYCLABLE MATERIAL**

 **GARANZIA DI 5 ANNI / 5-YEAR WARRANTY**

 **FISSO / FIXED**




 **ORIENTABILE / ADJUSTABLE**

   **IDONEI PER CARTONGESSO OR LATERIZIO / CALCESTRUZZO** a seconda dei modelli e degli accessori. **SUITABLE FOR PLASTERBOARD OR BRICKWALL / CONCRETE** it depends on the model and its accessories.


KELVIN		FASCIO / BEAM		FINITURE STANDARD / STANDARD FINISHINGS	
27	2700°K	S	 SPOT 20°	/ 01	 TELAIO BIANCO OTTICA NERA / WHITE FRAME BLACK OPTIC
30	3000°K	F	 FLOOD 32°	/ 02	 TELAIO NERO OTTICA NERA / BLACK FRAME BLACK OPTIC
35	3500°K	W	 WIDE 50°	/ 41	 TELAIO BIANCO OTTICA BIANCA / WHITE FRAME WHITE OPTIC
40	4000°K	Z	 ASYMMETRIC 41°X18°	/ 42	 TELAIO NERO OTTICA ORO / BLACK FRAME GOLD OPTIC

TW  Tunable White 2700 – 5000°K
La tecnologia Tunable White consente di controllare la temperatura di colore delle sorgenti luminose permettendo di scegliere quella più adatta tra luce bianca calda e fredda. / Tunable White technology allows you to control the color temperature of light sources allowing you to choose the most suitable between warm and cold white light.

FINITURE PREMIUM / PREMIUM FINISHINGS


		
81-ORO ROSA / PINK GOLD	82-BRONZO ANTICATO/ANTIQUÉ BRONZE	83-OTTONE SATINATO/ BRUSHED BRASS

CURVE FOTOMETRICHE / PHOTOMETRIC DATA



LEVA COLLECTION


MINIMAL SERIE
LINEARI / LINEAR VERSION



QUADRA




BASCULANTI / TILT VERSION



ROTOTRASLANTE /
SOFT ROTATE
& SLIDE




FRAME SERIE
LINEARI / LINEAR VERSION




QUADRA

LEVA INCASSI | DOWNLIGHT

TRIMLESS



OR FRAME



LEVA1 INCASSO DOWNLIGHT



TRIMLESS A+C

A		CASSA OBBLIGATORIA SENZA CORNICE - COMPULSORY TRIMLESS BOX			
Dim.	H	Kg	CODE		
30x34	62	0,06	LV001A		

FRAME B + C

B		CASSA OBBLIGATORIA CON CORNICE - COMPULSORY FRAME BOX			
Dim.	H	Kg	CODE	/##	
40x42	62	0,06	LV001F	/01 /02	

C		KIT LED				Im prod./beam 3000K					
W	mA	Dim.	H	Kg	S20°	F32°	W50°	Z41°x18°	CODE		
2,2	700	27x30	60	0,02	200	186	166	175	LV001K.9	700 /##	

Da completare con cassa e alimentatore da installare remoto in scatola di derivazione | To be completed with box and power supply to be installed in a remote junction box

LEVA3 INCASSO DOWNLIGHT



TRIMLESS A+C

A		CASSA OBBLIGATORIA SENZA CORNICE - COMPULSORY TRIMLESS BOX			
Dim.	H	Kg	CODE		
30x94	62	0,12	LV003A		

FRAME B + C


B		CASSA OBBLIGATORIA CON CORNICE - COMPULSORY FRAME BOX			
Dim.	H	Kg	CODE	/##	
40x102	65	0,12	LV003F	/01 /02	

C		KIT LED				Im product/beam 3000K					
W	mA	Dim.	H	Kg	S20°	F32°	W50°	Z41°x18°	CODE		
6,6	700	27x90	60	0,06	601	558	496	526	LV003K.9	700 /##	

Da completare con cassa e alimentatore da installare remoto in scatola di derivazione | To be completed with box and power supply to be installed in a remote junction box

VERSIONI DISPONIBILI / AVAILABLE VERSION

- KELVIN
- FASCIO / BEAM
- ## FINITURA | FINISHING
- 27 2700K
- 30 3000K
- 35 3500K
- 40 4000K
- TW Tunable White
- S Spot
- F Flood
- W Wide
- Z Asymmetric
- /01 bianco | white
- /02 nero | black
- /04 oro | gold



Per i gradi vedere in tabella - For degrees check the table

COMPOSIZIONE CODICE: xxx.x ●● /##

HOW TO CREATE THE CODE: F1000.827S/01

F1000.8 ● ● /## finishing
base code kelvin beam

700 DRIVERS VEDI | SEE P.452

LEVA5 INCASSO DOWNLIGHT



TRIMLESS A+C

A		CASSA OBBLIGATORIA SENZA CORNICE - COMPULSORY TRIMLESS BOX			
Dim.	H	Kg	CODE		
30x154	62	0,15	LV005A		

FRAME B + C

B		CASSA OBBLIGATORIA CON CORNICE - COMPULSORY FRAME BOX			
Dim.	H	Kg	CODE	/##	
40x162	65	0,15	LV005F	/01 /02	

C		KIT LED				Im product/beam 3000K					
W	mA	Dim.	H	Kg	S20°	F32°	W50°	Z41°x18°	CODE		
11	700	27x150	60	0,10	1002	931	828	877	LV005K.9	700 /##	

Da completare con cassa e alimentatore da installare remoto in scatola di derivazione | To be completed with box and power supply to be installed in a remote junction box

LEVA10 INCASSO DOWNLIGHT



TRIMLESS A+C

A		CASSA OBBLIGATORIA SENZA CORNICE - COMPULSORY TRIMLESS BOX			
Dim.	H	Kg	CODE		
30x304	62	0,27	LV010A		

FRAME B + C

B		CASSA OBBLIGATORIA CON CORNICE - COMPULSORY FRAME BOX			
Dim.	Hmm	Kg	CODE	/##	
40x312	60	0,35	LV010F	/01 /02	

C		KIT LED				Im product/beam 3000K					
W	mA	Dim.	H	Kg	S20°	F32°	W50°	Z41°x18°	CODE		
22	700	27x300	60	0,20	2004	1862	1656	1754	LV010K.9	700 /##	

Da completare con cassa e alimentatore da installare remoto in scatola di derivazione | To be completed with box and power supply to be installed in a remote junction box

LEVA 15 INCASSO



TRIMLESS A+C

A		CASSA OBBLIGATORIA SENZA CORNICE - COMPULSORY TRIMLESS BOX			
Dim.	H	Kg	CODE		
33x456	62	0,35	LV015A / 01		

FRAME B + C


B		CASSA OBBLIGATORIA CON CORNICE - COMPULSORY FRAME BOX			
Dim.	Hmm	Kg	CODE	/##	
40x462	60	0,35	LV015F	/01 /02	

C		KIT LED				Im product/beam 3000K					
W	mA	Dim.	H	Kg	20°	32°	50°	41°x18°	CODE		
33	700	27x450	60	0,35	3000	2793	2484	2631	LV015K.9	700 /##	

Da completare con cassa e alimentatore da installare remoto in scatola di derivazione | To be completed with box and power supply to be installed in a remote junction box

ACCESSORI OPZIONALI / OPTIONAL ACCESSORIES

CASSAFORMA PER MURATURA E CALCESTRUZZO | WALLBOX FOR BRICKWALL OR CONCRETE



	CODE
LEVA 3 INCASSO	CCLV03
LEVA 5 INCASSO	CCLV05
LEVA 10 INCASSO	CCLV10
LEVA 15 INCASSO	CCLV15

VEDI "CASSAFORME PER MURATURA E CALCESTRUZZO | WALLBOX FOR BRICK WALL AND CONCRETE" a pagina 119

LEVA 5+5 INCASSO | DOWNLIGHT

TRIMLESS A+C

A CASSA OBBLIGATORIA CON CORNICE - COMPULSORY FRAME BOX

Dim.	H	CODE
79x156	75	LV205A

FRAME B + C

B CASSA OBBLIGATORIA CON CORNICE - COMPULSORY FRAME BOX

Dim.	Hmm	CODE	Col.
88.5x165	min.120	LV205F	/01 /02

C

KITLED	W	mA	Dim.	Hmm	Im prod./beam 3000K	20°	32°	50°	CODE
22	700		75x150	70	2004	1862	1656		LV205K.9 ●●/##

Da completare con cassa e alimentatore da installare remoto in scatola di derivazione | To be completed with box and power supply to be installed in a remote junction box

LEVA 10+10 INCASSO | DOWNLIGHT

TRIMLESS A+C

A CASSA OBBLIGATORIA CON CORNICE - COMPULSORY FRAME BOX

Dim.	H	CODE
79x306	75	LV210A / 01

FRAME B + C

B CASSA OBBLIGATORIA CON CORNICE - COMPULSORY FRAME BOX

Dim.	Hmm	CODE	Col.
88.5x315	min.120	LV210F	/01 /02

C

KITLED	W	mA	Dim.	Hmm	Im prod./beam 3000K	20°	32°	50°	CODE
44	700		75x300	120	4008	3724	3312		LV210K.9 ●●/##

Da completare con cassa e alimentatore da installare remoto in scatola di derivazione | To be completed with box and power supply to be installed in a remote junction box

VERSIONI DISPONIBILI / AVAILABLE VERSION

- KELVIN**
- 27 2700K
- 30 3000K
- 35 3500K
- 40 4000K
- TW Tunable White



- FASCIO / BEAM**
- S Spot
- F Flood
- W Wide
- Z Asymmetric

- /## FINITURA | FINISHING**
- /01 bianco | white
- /02 nero | black
- /04 oro | gold

COMPOSIZIONE CODICE: xxx.x●●/##
 HOW TO CREATE THE CODE: **F1000.827S/01**
 CODE

F1000.8 | **●** | **●** | **—** /## finishing
 base code kelvin beam

700 DRIVERS VEDI | SEE P.452

Per i gradi vedere in tabella - For degrees check the table



LEVA QUADRA TRIMLESS OR FRAME

LEVA QUADRA 4 INCASSO | DOWNLIGHT

TRIMLESS A+C

A CASSA OBBLIGATORIA - COMPULSORY BOX

Dim.	H	Kg	CODE
64x64	34	0,07	LV301M

FRAME B + C

B CASSA OBBLIGATORIA - COMPULSORY BOX

Dim.	H	Kg	CODE	/##
73x73	60	0,15	LV301F	/01 /02

C

KITLED	W	mA	Dim.	H	Kg	Im prod./beam 3000K	S20°	F32°	W50°	CODE
8,8	700		61x61	33	0,2	800	745	662		LV351K.9 ●●/##

Accessori - accessories: LV301M: Q4 cassa minimal - Q4 box minimal
 Da completare con alimentatore remoto | To be completed with remote driver

LEVA QUADRA 9 INCASSO | DOWNLIGHT

TRIMLESS A+C

A CASSA OBBLIGATORIA - COMPULSORY BOX

Dim.	H	Kg	CODE
94x94	34	0,12	LV302M

FRAME B + C

B CASSA OBBLIGATORIA - COMPULSORY BOX

Dim.	H	Kg	CODE	/##
103x103	60	0,25	LV302F	/01 /02

C

KITLED	W	mA	Dim.	H	Kg	Im prod./beam 3000K	S20°	F32°	W50°	CODE
19,8	700		91x91	33	0,35	1800	1676	1490		LV352K.9 ●●/##

Accessori - accessories: LV302M: Q9 cassa minimal - Q9 box minimal
 Da completare con alimentatore remoto | To be completed with remote driver