



DIAPASON

VINTAGE SHAPES IN A CONTEMPORARY TRANSPOSITION:
A COLLECTION OF SUSPENSION, AND WALL LAMPS
INSPIRED BY THE CURVED AND THIN LINES OF THE
TUNING FORK. A COMBINATION OF TWO NOBLE
MATERIALS: BRUSHED NATURAL BRASS AND FROSTED
GLASS. THE CURVES OF THE GLASS AND THE DESIGN OF
THE STRUCTURE CREATE SUBTLE BALANCE GAMES. THE
DIAPASON COLLECTION IS DESIGNED BY THE DESIGNER
GIORGIO SORESSI FOR MELOGRANOBLU.


SYDNEY - MELBOURNE - GOLD COAST - PERTH - AUCKLAND
G45, 76-84 WATERWAY DRIVE COOMERA, QLD, 4209, AUSTRALIA

Phone: +61 417 950 455

Email: showroom@gineico.com
WWW.GINEICOLIGHTING.COM.AU



DIAPASON A



CHANDELIER


BRUSHED BRASS STRUCTURE WITH FROSTED RULED GLASSES.

Dimension lenght 135 cm, h. 107 cm.

Light source 5 x G9, 220 V, max 6 watt LED. Electric cable 2 mt length black.



DIAPASON A



WALL LAMP


BRUSHED BRASS STRUCTURE WITH FROSTED RULED GLASSES.

Dimension lenght 135 cm, h. 107 cm jut 28 cm.
Light source 5 x G9, 220 V, max 6 watt LED.




GINEICO

DIAPASON B



SUSPENSION LAMP

BRUSHED BRASS STRUCTURE WITH FROSTED RULED GLASS.

Dimension width 42 cm, h. 72 cm.


Light source 1 x G9, 220 V, max 6 watt LED. Electric cable 2 mt length black.



SYDNEY - MELBOURNE - GOLD COAST - PERTH - AUCKLAND
G45, 76-84 WATERWAY DRIVE COOMERA, QLD, 4209, AUSTRALIA

Phone: +61 417 950 455


Email: showroom@gineico.com
WWW.GINEICOLIGHTING.COM.AU



Also available in
wall version.


GINEICO

DIAPASON C



SUSPENSION LAMP

BRUSHED BRASS STRUCTURE WITH FROSTED RULED GLASSES.

Dimension width 60 cm, h. 112 cm.

Light source 2 x G9, 220 V, max 6 watt LED. Electric cable 2 mt length black.




SYDNEY - MELBOURNE - GOLD COAST - PERTH - AUCKLAND
G45, 76-84 WATERWAY DRIVE COOMERA, QLD, 4209, AUSTRALIA

Phone: +61 417 950 455

Email: showroom@gineico.com
WWW.GINEICOLIGHTING.COM.AU

DIAPASON C



WALL LAMP

BRUSHED BRASS STRUCTURE WITH FROSTED RULED GLASSES.

Dimension width 60 cm, 112 cm.
Light source 2 x G9, 220 V, max 6 watt LED.

