

 Rocchetto O 

/ Incasso
Downlight

/ Interno
Indoor



Rocchetto O



Corpo illuminante da incasso a scomparsa totale per installazioni a cartongesso, **Rocchetto O** è orientabile e risiede in una cassaforma di Ø100 mm fornita come accessorio a corredo del prodotto. L'oggetto è un connubio perfetto di tecnologia ed estetica sovrappiù ed è ideale per illuminare un'abitazione o un ufficio grazie all'eleganza di un faretto trimless unita alla versatilità di un proiettore direzionabile.

Rocchetto O is an adjustable trimless recessed light for plasterboard installation housed in a Ø100 mm formwork supplied as an accessory with the product. The object is a perfect combination of technology and fine aesthetics and is ideal for illuminating a home or office with the elegance of a trimless spotlight combined with the versatility of a directional projector.






Rocchetto O

/ Incasso
Downlight/ Interno
Indoor

*Recesso / withdrawal
**Sporgenza corpo / body overhang



Prodotto Product	Potenza Power	Flusso Luminoso Luminous Flux	Alimentazione Supply	CRI CRI	Angolo Angle	Temperatura Colore Color Temperature
Rocchetto O	4W	463lm	350mA	≥90	10°, 30°, 45°, 14°x48°, 48x14°	2700-3000-4000K
	6W	627lm	500mA	≥90	10°, 30°, 45°, 14°x48°, 48x14°	2700-3000-4000K
	9W	820lm	700mA	≥90	10°, 30°, 45°, 14°x48°, 48x14°	2700-3000-4000K



Finiture Finishes



Accessori, varianti e supplementi Accessories, variants and supplements

Nido d'ape / Honeycomb

Sagomatore per controllo abbagliamento Ø35mm / Glare control shaper Ø35mm

Cassaforma per installazione scomparsa totale / Totally recessed formwork

Cassaforma per installazione a molla con cornice magnetica / Spring-mounted formwork with magnetic frame