

ā


Rocchetto Mini P

Corpo illuminante da parete e soffitto per interni IP40 realizzato in alluminio tornito e verniciato è composto da una testa cilindrica di diametro Ø26 mm orientabile di 360° lungo l'asse verticale e 90° lungo l'asse orizzontale. Ideato per raggiungere fino a 6W con un CRI>90. Disponibile con cinque differenti ottiche per ottenere differenti scenografie.

Wall and ceiling light for indoor use, with IP40 degree of protection, made of latheed and painted aluminium and of a Ø26 mm adjustable cylindrical head (360° along the vertical axis and 90° along the horizontal axis). Designed to reach 6W with CRI>90. It comes with five different optics in order to obtain different sceneries.




Rocchetto Mini P



10° 25° 30° 45° 14°x48°

Prodotto Product	Potenza Power	Flusso Luminoso Luminous Flux	Alimentazione Supply	CRI CRI	Angolo Angle	Temperatura Colore Color Temperature
Rocchetto Mini P	4W	463lm	350mA	90	10°, 25°, 30°, 45°, 14°x48°	2700-3000-4000K
	6W	627lm	500mA	90	10°, 25°, 30°, 45°, 14°x48°	2700-3000-4000K



Finitura
Finishes



Accessori, varianti e supplementi
Accessories, variants and supplements

Nido d'ape / Honeycomb





Rocchetto Maxi P

Corpo illuminante da parete e soffitto per interni IP40 realizzato in alluminio tornito e verniciato, è composto da una testa cilindrica di diametro Ø55 mm orientabile di 360° lungo l'asse verticale e 90° lungo l'asse orizzontale. Ideato per raggiungere fino a 18W con un CRI>90. Disponibile con tre differenti ottiche per ottenere differenti scenografie.

Wall and ceiling light for indoor use, with IP40 degree of protection, made of turned and painted aluminium and of a Ø55 mm adjustable cylindrical head (360° along the vertical axis and 90° along the horizontal axis). Designed to reach 18W with CRI>90. It comes with three different optics in order to obtain different sceneries.

