


ARCHETTO CUSTOM

design Gianfranco Marabese 2013
INDOOR & OUTDOOR COLLECTION




Archetto Custom offre la possibilità di realizzare soluzioni sartoriali di luce, utilizzando la linea luminosa, di lunghezza variabile fino a 5 metri, anche su supporti creati per progetti specifici. E' particolarmente indicato nella sottolineatura perimetrale e nell'illuminazione, mai invasiva, di facciate, vetrine, percorsi di luce, installazioni.


Archetto Custom offers the possibility of creating sartorial solutions of light, using the luminous line, of variable length up to 5 meters, also on supports created for specific projects. It is particularly indicated in the perimeter underline and in the lighting, never invasive, of facades, windows, paths of light, installations.




LED strip




Direzione Luminosa/
Light's direction




Misure espresse in cm




E' possibile tagliare Archetto Custom ogni 5/
It's possible to cut Archetto Custom every 5



Archetto Custom segue il profilo delle superfici/
Archetto Custom follows the profile of the surfaces



Tenere Archetto Custom in linea retta su superfici piane per non danneggiare la strip LED/
Hold the Archetto Custom in a straight line on flat surfaces to avoid damaging the LED strip



Curva fotometrica
Photometric curve

Desktop drivers
24v
24v
24v

Remote drivers
35w
70w
120w
24v
24v
24v

35w
75w
100w
150w

IP67 Remote drivers
24v
24v
24v
24v
24v

Controllers
Controller infrarosso RGB con telecomando/
Infrared controller RGB with remote control
MAX 140w
Controller radiofrequenza per RGB con telecomando "touch"/
Radiofrequency controller for RGB with touch remote control
MAX 280w
Dimmer radiofrequenza per bianco con telecomando/
Radiofrequency dimmer for white with remote control
MAX 190w







ESEMPI APPLICATIVI APPLICATIONS

Il profilo di Archetto Custom puo' essere liberamente applicato su supporti disegnati e progettati per inediti percorsi di luce.

The Archetto Custom profile can be applied freely on supports designed and engineered for unusual paths of light.



Si possono ottenere cerchi fino a 4mt di diametro o altre figure geometriche a richiesta
Is it possible to make circular shapes up to 4mt of diameter or other geometric shapes on request

